

QuantiNova® LNA® PCR Focus Panels (Rotor-Gene® Format)

Human T-Cell & B-Cell Activation

Cat. no. 249950 SBHS-053ZR

For study focus gene expression analysis

Shipping and storage

QuantiNova LNA PCR Focus Panels are shipped at ambient temperature. Immediately upon receipt, they should be stored at 2–8°C for short term storage or at –30°C to –15°C for long time storage. Under these conditions, all components are stable for at least 12 months.

Note: Open the package and store the products appropriately immediately upon receipt.

For optimal performance, QuantiNova LNA PCR Focus Panels should be used together with the QuantiNova Reverse Transcription Kit for cDNA synthesis and the QuantiNova SYBR® Green PCR Kit (Mastermix) for PCR.

Panel layout (Rotor-Gene): QuantiNova LNA PCR Focus Panel

The 96 real-time assays in the Rotor-Gene format are located in wells 1–96 of the Rotor-Disc® (plate A1–A12=Rotor-Disc 1–12, plate B1–B12=Rotor-Disc 13–24, etc.). To maintain data analysis compatibility, wells 97–100 do not contain real-time assays but will contain master mix to account for weight balance. Refer to the QuantiNova LNA PCR System Handbook at www.qiagen.com for further details.

	1	2	3	4	5	6	7	8	9	10	11	12
A	ADA	AICDA	APC	BCL2	BLM	BLNK	CCL3	CCR1	CCR2	CCR3	CCR4	CCR5
B	CD1D	CD2	CD27	CD274	CD276	CD28	CD3D	CD3E	CD3G	CD4	CD40	CD40LG
C	CD47	CD5	CD7	CD80	CD81	CD86	CD8A	CD8B	CSF2	CX3CL1	CXCR3	CXCR4
D	CXCR5	DPP4	EGR1	FAS	FASLG	FOXP3	ICOSLG	IFNG	IL10	IL11	IL12A	IL12B
E	IL12RB1	IL12RB2	IL13	IL15	IL18	IL18R1	IL1B	IL2	IL2RA	IL3	IL4	IL4R
F	IL5	IL6	IL7	CXCL8	IRF4	LAG3	LCK	MAP3K7	MICB	MS4A1	NCK1	NOS2
G	PTPRC	RAG1	RIPK2	SOC3	TGFB1	TLR1	TLR2	TLR4	TLR6	TLR9	TNFSF14	VAV1
H	ACTB	B2M	GAPDH	HPRT1	RPLP0	HGDC	QIC	QIC	QIC	PPC	PPC	PPC

Gene table: QuantiNova LNA PCR Focus Panel

Position	Assay	Name	Symbol	Ensembl ID	Description
A01	SBH0228997	ENST00000536076.1	ADA	ENSG00000196839	adenosine deaminase Source HGNC Symbol Acc HGNC 186
A02	SBH0191605	ENST00000544516.5	AICDA	ENSG00000111732	activation induced cytidine deaminase Source HGNC Symbol Acc HGNC 13203
A03	SBH1219746	ENST00000512211.6	APC	ENSG00000134982	APC, WNT signaling pathway regulator Source HGNC Symbol Acc HGNC 583
A04	SBH1219786	ENST00000398117.1	BCL2	ENSG00000171791	BCL2, apoptosis regulator Source HGNC Symbol Acc HGNC 990
A05	SBH1219799	ENST00000355112.8	BLM	ENSG00000197299	BLM RecQ like helicase Source HGNC Symbol Acc HGNC 1058
A06	SBH0212154	ENST00000224337.9	BLNK	ENSG00000095585	B cell linker Source HGNC Symbol Acc HGNC 14211
A07	SBH1219838	ENST00000613922.2	CCL3	ENSG00000277632	C-C motif chemokine ligand 3 Source HGNC Symbol Acc HGNC 10627
A08	SBH1219851	ENST00000296140.4	CCR1	ENSG00000163823	C-C motif chemokine receptor 1 Source HGNC Symbol Acc HGNC 1602
A09	SBH0387563	ENST00000445132.2	CCR2	ENSG00000121807	C-C motif chemokine receptor 2 Source HGNC Symbol Acc HGNC 1603
A10	SBH1219852	ENST00000545097.1	CCR3	ENSG00000183625	C-C motif chemokine receptor 3 Source HGNC Symbol Acc HGNC 1604
A11	SBH1219853	ENST00000330953.5	CCR4	ENSG00000183813	C-C motif chemokine receptor 4 Source HGNC Symbol Acc HGNC 1605
A12	SBH1219854	ENST00000292303.4	CCR5	ENSG00000160791	C-C motif chemokine receptor 5 (gene/pseudogene) Source HGNC Symbol Acc HGNC 1606
B01	SBH0361611	ENST00000368171.3	CD1D	ENSG00000158473	CD1d molecule Source HGNC Symbol Acc HGNC 1637
B02	SBH0125518	ENST00000369477.1	CD2	ENSG00000116824	CD2 molecule Source HGNC Symbol Acc HGNC 1639
B03	SBH1219859	ENST00000266557.3	CD27	ENSG00000139193	CD27 molecule Source HGNC Symbol Acc HGNC 11922
B04	SBH0427581	ENST00000498261.1	CD274	ENSG00000120217	CD274 molecule Source HGNC Symbol Acc HGNC 17635
B05	SBH0495765	ENST00000564751.5	CD276	ENSG00000103855	CD276 molecule Source HGNC Symbol Acc HGNC 19137
B06	SBH0430835	ENST00000458610.6	CD28	ENSG00000178562	CD28 molecule Source HGNC Symbol Acc HGNC 1653
B07	SBH0400296	ENST00000526561.1	CD3D	ENSG00000167286	CD3d molecule Source HGNC Symbol Acc HGNC 1673
B08	SBH0232919	ENST00000528600.1	CD3E	ENSG00000198851	CD3e molecule Source HGNC Symbol Acc HGNC 1674
B09	SBH0490458	ENST00000528540.5	CD3G	ENSG00000160654	CD3g molecule Source HGNC Symbol Acc HGNC 1675
B10	SBH1219860	ENST00000011653.9	CD4	ENSG00000010610	CD4 molecule Source HGNC Symbol Acc HGNC 1678
B11	SBH1219861	ENST00000372285.7	CD40	ENSG00000101017	CD40 molecule Source HGNC Symbol Acc HGNC 11919
B12	SBH1219862	ENST00000370629.6	CD40LG	ENSG00000102245	CD40 ligand Source HGNC Symbol Acc HGNC 11935
C01	SBH0009721	ENST00000398258.7	CD47	ENSG00000196776	CD47 molecule Source HGNC Symbol Acc HGNC 1682
C02	SBH0543140	ENST00000544014.1	CD5	ENSG00000110448	CD5 molecule Source HGNC Symbol Acc HGNC 1685
C03	SBH0547038	ENST00000578509.1	CD7	ENSG00000173762	CD7 molecule Source HGNC Symbol Acc HGNC 1695
C04	SBH1219864	ENST00000264246.8	CD80	ENSG00000121594	CD80 molecule Source HGNC Symbol Acc HGNC 1700
C05	SBH0266200	ENST00000475945.6	CD81	ENSG00000110651	CD81 molecule Source HGNC Symbol Acc HGNC 1701
C06	SBH0280451	ENST00000393627.6	CD86	ENSG00000114013	CD86 molecule Source HGNC Symbol Acc HGNC 1705
C07	SBH0013530	ENST00000283635.7	CD8A	ENSG00000153563	CD8a molecule Source HGNC Symbol Acc HGNC 1706
C08	SBH0614165	ENST00000390655.11	CD8B	ENSG00000172116	CD8b molecule Source HGNC Symbol Acc HGNC 1707
C09	SBH1219914	ENST00000296871.4	CSF2	ENSG00000164400	colony stimulating factor 2 Source HGNC Symbol Acc HGNC 2434
C10	SBH1219926	ENST00000563383.1	CX3CL1	ENSG00000006210	C-X3-C motif chemokine ligand 1 Source HGNC Symbol Acc HGNC 10647
		ENST00000373		ENSG000000	

Position	Assay	Name	Symbol	Ensembl ID	Description
C11	SBH1219934	693.4	CXCR3	186810	C-X-C motif chemokine receptor 3 Source HGNC Symbol Acc HGNC 4540
C12	SBH0591410	ENST00000241393.3	CXCR4	ENSG00000121966	C-X-C motif chemokine receptor 4 Source HGNC Symbol Acc HGNC 2561
D01	SBH0394764	ENST00000292174.4	CXCR5	ENSG00000160683	C-X-C motif chemokine receptor 5 Source HGNC Symbol Acc HGNC 1060
D02	SBH0072994	ENST00000490286.5	DPP4	ENSG00000197635	dipeptidyl peptidase 4 Source HGNC Symbol Acc HGNC 3009
D03	SBH0290504	ENST00000239938.5	EGR1	ENSG00000120738	early growth response 1 Source HGNC Symbol Acc HGNC 3238
D04	SBH1219994	ENST00000652046.1	FAS	ENSG00000026103	Fas cell surface death receptor Source HGNC Symbol Acc HGNC 11920
D05	SBH1219995	ENST00000367721.3	FASLG	ENSG00000117560	Fas ligand Source HGNC Symbol Acc HGNC 11936
D06	SBH0423236	ENST00000376199.7	FOXP3	ENSG00000049768	forkhead box P3 Source HGNC Symbol Acc HGNC 6106
D07	SBH0147565	ENST00000344330.8	ICOSLG	ENSG00000160223	inducible T cell costimulator ligand Source HGNC Symbol Acc HGNC 17087
D08	SBH1220090	ENST00000229135.4	IFNG	ENSG00000111537	interferon gamma Source HGNC Symbol Acc HGNC 5438
D09	SBH1220095	ENST00000423557.1	IL10	ENSG00000136634	interleukin 10 Source HGNC Symbol Acc HGNC 5962
D10	SBH1220097	ENST00000585513.1	IL11	ENSG00000095752	interleukin 11 Source HGNC Symbol Acc HGNC 5966
D11	SBH1220098	ENST00000305579.7	IL12A	ENSG00000168811	interleukin 12A Source HGNC Symbol Acc HGNC 5969
D12	SBH1220099	ENST00000231228.2	IL12B	ENSG00000113302	interleukin 12B Source HGNC Symbol Acc HGNC 5970
E01	SBH0452783	ENST00000430026.7	IL12RB1	ENSG00000096996	interleukin 12 receptor subunit beta 1 Source HGNC Symbol Acc HGNC 5971
E02	SBH0090342	ENST00000371000.5	IL12RB2	ENSG00000081985	interleukin 12 receptor subunit beta 2 Source HGNC Symbol Acc HGNC 5972
E03	SBH0375568	ENST00000304506.7	IL13	ENSG00000169194	interleukin 13 Source HGNC Symbol Acc HGNC 5973
E04	SBH1220101	ENST00000296545.11	IL15	ENSG00000164136	interleukin 15 Source HGNC Symbol Acc HGNC 5977
E05	SBH1220103	ENST00000524595.5	IL18	ENSG00000150782	interleukin 18 Source HGNC Symbol Acc HGNC 5986
E06	SBH0245173	ENST00000334376.4	IL18R1	ENSG00000115604	interleukin 18 receptor 1 Source HGNC Symbol Acc HGNC 5988
E07	SBH0079231	ENST00000263341.6	IL1B	ENSG00000125538	interleukin 1 beta Source HGNC Symbol Acc HGNC 5992
E08	SBH0225582	ENST00000226730.4	IL2	ENSG00000109471	interleukin 2 Source HGNC Symbol Acc HGNC 6001
E09	SBH0567688	ENST00000447847.1	IL2RA	ENSG00000134460	interleukin 2 receptor subunit alpha Source HGNC Symbol Acc HGNC 6008
E10	SBH0584080	ENST00000296870.2	IL3	ENSG00000164399	interleukin 3 Source HGNC Symbol Acc HGNC 6011
E11	SBH1220109	ENST00000350025.2	IL4	ENSG00000113520	interleukin 4 Source HGNC Symbol Acc HGNC 6014
E12	SBH0492526	ENST00000565915.5	IL4R	ENSG00000077238	interleukin 4 receptor Source HGNC Symbol Acc HGNC 6015
F01	SBH1220110	ENST00000231454.6	IL5	ENSG00000113525	interleukin 5 Source HGNC Symbol Acc HGNC 6016
F02	SBH1220111	ENST00000401630.7	IL6	ENSG00000136244	interleukin 6 Source HGNC Symbol Acc HGNC 6018
F03	SBH1220113	ENST00000541183.2	IL7	ENSG00000104432	interleukin 7 Source HGNC Symbol Acc HGNC 6023
F04	SBH1219932	ENST00000401931.1	CXCL8	ENSG00000169429	C-X-C motif chemokine ligand 8 Source HGNC Symbol Acc HGNC 6025
F05	SBH0409342	ENST00000380956.9	IRF4	ENSG00000137265	interferon regulatory factor 4 Source HGNC Symbol Acc HGNC 6119
F06	SBH0171881	ENST00000538079.1	LAG3	ENSG00000089692	lymphocyte activating 3 Source HGNC Symbol Acc HGNC 6476
F07	SBH0532833	ENST00000495610.6	LCK	ENSG00000182866	LCK proto-oncogene, Src family tyrosine kinase Source HGNC Symbol Acc HGNC 6524
F08	SBH1220191	ENST00000369329.8	MAP3K7	ENSG00000135341	mitogen-activated protein kinase kinase kinase 7 Source HGNC Symbol Acc HGNC 6859
F09	SBH0415608	ENST00000399150.7	MICB	ENSG00000204516	MHC class I polypeptide-related sequence B Source HGNC Symbol Acc HGNC 7091
F10	SBH0171801	ENST00000532418.1	MS4A1	ENSG00000156738	membrane spanning 4-domains A1 Source HGNC Symbol Acc HGNC 7315

Position	Assay	Name	Symbol	Ensembl ID	Description
F11	SBH0524718	ENST00000485096.5	NCK1	ENSG00000158092	NCK adaptor protein 1 Source HGNC Symbol Acc HGNC 7664
F12	SBH0408796	ENST00000313735.10	NOS2	ENSG00000007171	nitric oxide synthase 2 Source HGNC Symbol Acc HGNC 7873
G01	SBH0081266	ENST00000491302.1	PTPRC	ENSG00000081237	protein tyrosine phosphatase, receptor type C Source HGNC Symbol Acc HGNC 9666
G02	SBH0667364	ENST00000299440.5	RAG1	ENSG00000166349	recombination activating 1 Source HGNC Symbol Acc HGNC 9831
G03	SBH1220370	ENST00000220751.5	RIPK2	ENSG00000104312	receptor interacting serine/threonine kinase 2 Source HGNC Symbol Acc HGNC 10020
G04	SBH1220412	ENST00000644787.1	SOCS1	ENSG00000185338	suppressor of cytokine signaling 1 Source HGNC Symbol Acc HGNC 19383
G05	SBH1220443	ENST00000598758.5	TGFB1	ENSG00000105329	transforming growth factor beta 1 Source NCBI gene Acc 7040
G06	SBH1220460	ENST00000506146.5	TLR1	ENSG00000174125	toll like receptor 1 Source HGNC Symbol Acc HGNC 11847
G07	SBH0671922	ENST00000642700.1	TLR2	ENSG00000137462	toll like receptor 2 Source HGNC Symbol Acc HGNC 11848
G08	SBH0092782	ENST00000355622.8	TLR4	ENSG00000136869	toll like receptor 4 Source HGNC Symbol Acc HGNC 11850
G09	SBH1220464	ENST00000436693.6	TLR6	ENSG00000174130	toll like receptor 6 Source HGNC Symbol Acc HGNC 16711
G10	SBH1220466	ENST00000360658.2	TLR9	ENSG00000239732	toll like receptor 9 Source HGNC Symbol Acc HGNC 15633
G11	SBH1220480	ENST00000599359.1	TNFSF14	ENSG00000125735	TNF superfamily member 14 Source HGNC Symbol Acc HGNC 11930
G12	SBH0216129	ENST00000596764.5	VAV1	ENSG00000141968	vav guanine nucleotide exchange factor 1 Source HGNC Symbol Acc HGNC 12657
H01	SBH1220543	ENST00000646664.1	ACTB	ENSG00000075624	actin beta Source HGNC Symbol Acc HGNC 132
H02	SBH1220550	ENST00000558401.6	B2M	ENSG00000166710	beta-2-microglobulin Source HGNC Symbol Acc HGNC 914
H03	SBH1220545	ENST00000396861.5	GAPDH	ENSG00000111640	glyceraldehyde-3-phosphate dehydrogenase Source HGNC Symbol Acc HGNC 4141
H04	SBH1220546	ENST00000298556.8	HPRT1	ENSG00000165704	hypoxanthine phosphoribosyltransferase 1 Source HGNC Symbol Acc HGNC 5157
H05	SBH1220553	ENST00000546989.5	RPLP0	ENSG00000089157	ribosomal protein lateral stalk subunit P0 Source HGNC Symbol Acc HGNC 10371
H06	SBH1218553	Sybr_HGDC	HGDC	Sybr_HGDC	Human Genomic DNA Contamination
H07	SBH1218551	Sybr_QIC	QIC	Sybr_QIC	QuantiNova Internal Control
H08	SBH1218551	Sybr_QIC	QIC	Sybr_QIC	QuantiNova Internal Control
H09	SBH1218551	Sybr_QIC	QIC	Sybr_QIC	QuantiNova Internal Control
H10	SBH1218550	Sybr_PPC	PPC	Sybr_PPC	Positive PCR Control
H11	SBH1218550	Sybr_PPC	PPC	Sybr_PPC	Positive PCR Control
H12	SBH1218550	Sybr_PPC	PPC	Sybr_PPC	Positive PCR Control



Related products

Product	Contents	Cat. no.
QuantiNova LNA PCR QC Panel	These panels are designed to assess the quality of RNA samples before characterization using QuantiNova LNA PCR Focus Panels; available in 96-well, 384-well, and Rotor-Disc 100 formats	249940
QuantiNova Reverse Transcription Kit (10)*	For 10 x 20 μ l reactions: 20 μ l 8x gDNA Removal Mix, 10 μ l Reverse Transcription Enzyme, 40 μ l Reverse Transcription Mix (containing RT primers), 20 μ l Internal Control RNA, 1.9 ml RNase-Free Water	205410
QuantiNova SYBR Green RT-PCR Kit (100)*	For 100 x 20 μ l reactions: 1 ml QuantiNova SYBR Green RT-PCR Master Mix, 20 μ l QuantiNova SYBR Green RT Mix, 20 μ l Internal Control RNA, 500 μ l Yellow Template Dilution Buffer, 250 μ l ROX Reference Dye, 1.9 μ l RNase-Free Water	208152
QuantiNova SYBR Green PCR Kit (100)*	For 100 x 20 μ l reactions: 1 ml 2x QuantiNova SYBR Green PCR Master Mix, 500 μ l QuantiNova Yellow Template Dilution Buffer, 250 μ l QN ROX Reference Dye, 1.9 ml Water	208052

*Larger kit sizes available.

The QuantiNova LNA PCR Focus Panels are intended for molecular biology applications. These products are not intended for the diagnosis, prevention or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.qiagen.com or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN®, LNA®, QuantiNova®, Sample to Insight® (QIAGEN Group); SYBR® (Life Technologies Corp.). Registered names, trademarks, etc. used in this document, even when not specifically marked as such, are not to be considered unprotected by law.

09/2019 © 2019 QIAGEN, all rights reserved.